




# Freestanding bathtubs Quaryl










<b>DE</b> Montageanleitung	<b>AR</b> دليل التركيب	<b>HU</b> Szerelési útmutató	<b>PT</b> Instruções de montagem
<b>EN</b> Installation instructions	<b>BG</b> Ръководство за монтаж	<b>ID</b> Petunjuk pemasangan	<b>RO</b> Manual de montaj
<b>ES</b> Instrucciones de montaje	<b>CS</b> Návod k montáži	<b>JA</b> 取付説明書	<b>SK</b> Návod na montáž
<b>FR</b> Instructions de montage	<b>DA</b> Monteringsvejledning	<b>KO</b> 설치 가이드	<b>SL</b> Navodila za montažo
<b>IT</b> Istruzioni per il montaggio	<b>EE</b> Paigaldusjuhend	<b>LT</b> Montavimo instrukcija	<b>SV</b> Monteringsanvisning
<b>NL</b> Montagehandleiding	<b>EL</b> Οδηγίες τοποθέτησης	<b>LV</b> Montāžas instrukcija	<b>TH</b> คู่มือการติดตั้ง
<b>RU</b> Инструкция по монтажу	<b>FI</b> Asennusohje	<b>NO</b> Monteringsanvisning	<b>TR</b> Montaj kılavuzu
<b>ZH</b> 安装说明	<b>HR</b> Uputa za montažu	<b>PL</b> Instrukcji montażu	<b>UK</b> Інструкція з монтажу








		»»	<b>3</b>
		»»	<b>6</b>
		»»	<b>9</b>
		»»	<b>13</b>




# 1




 DN 50 / DN 40



- . max. 60 °C
- . max. 18l/min. (±10%) @2.5 bar
- . max. 3 bar
- . PH > 4




# 2




20 mm


# 3







# 4









# 5


















# 1

DN 50 / DN 40

- . max. 60 °C
- . max. 18l/min. (±10%) @2.5 bar
- . max. 3 bar
- . PH > 4

+++

# 2


# 3


20 mm












# 4

# 5


610 mm











# 1




 DN 50 / DN 40


 . max. 60 °C  
 . max. 18l/min. (±10%) @2.5 bar  
 . max. 3 bar  
 . PH > 4
 

# 2




# 3





20 mm

# 4



# 5





## VILLEROY & BOCH

### GERMANY

*Villeroy & Boch AG  
Bathroom and Wellness Division  
Headquarters  
66693 Mettlach  
Germany*

*Tel: +49 (0) 68 64 / 81 0  
Fax: +49 (0) 68 64 / 81 1484*